



Semiconductor Probe




J2057-15-01

Pitch 0.30-0.35mm



Order for more tip-selections, only available for top plunger. If you want to custom, please contact us directly.



Mechanical& Electrical Specification

Working Stroke	0.65mm[.026in]
Full Stroke	1.00mm[.039in]
Spring Force	15g@0.65mm
Resistance	Max. 200mOhm
Current	1Amp
Bandwidth	-0.15dB@20GHz
Operated Temp.	-40~125°C

Material


Top Plunger	SK4/ Au-Plated
Bottom Plunger	SK4/ Au-Plated
Spring	Music Wire/ Au-Plated
Tube	Bronze/ Au Plated



JIANYANG
sales@jyprobe.com
+8621-3769-5886
www.jyprobe.com
Shanghai JianYang Electronics Technology Co., Ltd.
No.118, Lane 169, South Laiting Road, Songjiang District, Shanghai, China.

Y2657-20-01

Pitch 0.35-0.40mm



Order for more tip-selections, only available for top plunger. If you want to custom, please contact us directly.



Mechanical& Electrical Specification

Working Stroke	0.50mm[.020in]
Full Stroke	1.00mm[.039in]
Spring Force	20g@0.50mm
Resistance	Max. 100mOhm
Current	3Amp
Bandwidth	-0.15dB@20GHz
Operated Temp.	-40~125°C

Material


Top Plunger	BeCu/ Au-Plated
Bottom Plunger	BeCu/ Au-Plated
Spring	Music Wire/ Au-Plated
Tube	Bronze/ Au Plated




JIANYANG
sales@jyprobe.com
+8621-3769-5886
www.jyprobe.com
Shanghai JianYang Electronics Technology Co., Ltd.
No.118, Lane 169, South Laiting Road, Songjiang District, Shanghai, China.

Y2857-20-01

Pitch 0.40-0.45mm



Order for more tip-selections, only available for top plunger. If you want to custom, please contact us directly.



Mechanical& Electrical Specification

Working Stroke	0.65mm[.026in]
Full Stroke	1.00mm[.039in]
Spring Force	25g@0.65mm
Resistance	Max. 150mOhm
Current	3Amp
Bandwidth	-0.15dB@20GHz
Operated Temp.	-40~125°C

Material


Top Plunger	SK4/ Au-Plated
Bottom Plunger	BeCu/ Au-Plated
Spring	Music Wire/ Au-Plated
Tube	Bronze/ Au Plated




JIANYANG
sales@jyprobe.com
+8621-3769-5886
www.jyprobe.com
Shanghai JianYang Electronics Technology Co., Ltd.
No.118, Lane 169, South Laiting Road, Songjiang District, Shanghai, China.

Y3043-35-01

Pitch 0.40-0.50mm



Order for more tip-selections, only available for top plunger. If you want to custom, please contact us directly.



■ Mechanical& Electrical Specification

Working Stroke	0.40mm[.016in]
Full Stroke	0.60mm[.024in]
Spring Force	35g@0.40mm
Resistance	Max. 85mOhm
Current	3Amp
Bandwidth	NA
Operated Temp.	-40~125°C

■ Material


Top Plunger	SK4/ Au-Plated
Bottom Plunger	SK4/ Au-Plated
Spring	Music Wire/ Au-Plated
Tube	Bronze/ Au Plated




JIANYANG
sales@jyprobe.com
+8621-3769-5886
www.jyprobe.com
Shanghai JianYang Electronics Technology Co., Ltd.
No.118, Lane 169, South Laiting Road, Songjiang District, Shanghai, China.

Y3133-25-01

Pitch 0.40-0.50mm



Order for more tip-selections, only available for top plunger. If you want to custom, please contact us directly.



■ Mechanical& Electrical Specification

Working Stroke	0.50mm[.020in]
Full Stroke	0.65mm[.026in]
Spring Force	25g@0.50mm
Resistance	Max. 80mOhm
Current	3Amp
Bandwidth	NA
Operated Temp.	-40~125°C

■ Material


Top Plunger	SK4/ Au-Plated
Bottom Plunger	BeCu/ Au-Plated
Spring	Music Wire/ Au-Plated
Tube	Bronze/ Au Plated




JIANYANG
sales@jyprobe.com
+8621-3769-5886
www.jyprobe.com
Shanghai JianYang Electronics Technology Co., Ltd.
No.118, Lane 169, South Laiting Road, Songjiang District, Shanghai, China.

Y3157-22-01

Pitch 0.38-0.50mm



Order for more tip-selections, only available for top plunger. If you want to custom, please contact us directly.



Mechanical& Electrical Specification

Working Stroke	0.65mm[.026in]
Full Stroke	1.10mm[.043in]
Spring Force	22g@0.65mm
Resistance	Max. 100mOhm
Current	3Amp
Bandwidth	NA
Operated Temp.	-40~125°C

Material


Top Plunger	BeCu/ Au-Plated
Bottom Plunger	BeCu/ Au-Plated
Spring	Music Wire/ Au-Plated
Tube	Bronze/ Au Plated




JIANYANG
sales@jyprobe.com
+8621-3769-5886
www.jyprobe.com
Shanghai JianYang Electronics Technology Co., Ltd.
No.118, Lane 169, South Laiting Road, Songjiang District, Shanghai, China.

J3158-40-01

Pitch 0.38-0.50mm



Order for more tip-selections, only available for top plunger. If you want to custom, please contact us directly.



Mechanical& Electrical Specification

Working Stroke	0.65mm[.026in]
Full Stroke	1.10mm[.043in]
Spring Force	40g@0.65mm
Resistance	Max. 100mOhm
Current	3Amp
Bandwidth	NA
Operated Temp.	-40~125°C

Material


Top Plunger	SK4/ Au-Plated
Bottom Plunger	BeCu/ Au-Plated
Spring	Music Wire/ Au-Plated
Tube	Bronze/ Au Plated




JIANYANG
sales@jyprobe.com
+8621-3769-5886
www.jyprobe.com
Shanghai JianYang Electronics Technology Co., Ltd.
No.118, Lane 169, South Laiting Road, Songjiang District, Shanghai, China.

Y31123-12-01

Pitch 0.38-0.48mm



Order for more tip-selections, only available for top plunger. If you want to custom, please contact us directly.



Mechanical& Electrical Specification

Working Stroke	1.00mm[.039in]
Full Stroke	2.20mm[.087in]
Spring Force	12g@1.00mm
Resistance	Max. 100mOhm
Current	3Amp
Bandwidth	NA
Operated Temp.	-40~125°C

Material


Top Plunger	BeCu/ Au-Plated
Bottom Plunger	BeCu/ Au-Plated
Spring	Music Wire/ Au-Plated
Tube	Bronze/ Au Plated




JIANYANG
sales@jyprobe.com
+8621-3769-5886
www.jyprobe.com
Shanghai JianYang Electronics Technology Co., Ltd.
No.118, Lane 169, South Laiting Road, Songjiang District, Shanghai, China.

Y3557-23-01

Pitch 0.42-0.50mm



Order for more tip-selections, only available for top plunger. If you want to custom, please contact us directly.



Mechanical& Electrical Specification

Working Stroke	0.80mm[.039in]
Full Stroke	1.10mm[.043in]
Spring Force	23g@0.80mm
Resistance	Max. 80mOhm
Current	3Amp
Bandwidth	NA
Operated Temp.	-40~125°C

Material


Top Plunger	BeCu/ Au-Plated
Bottom Plunger	BeCu/ Au-Plated
Spring	Music Wire/ Au-Plated
Tube	Bronze/ Au Plated




JIANYANG
sales@jyprobe.com
+8621-3769-5886
www.jyprobe.com
Shanghai JianYang Electronics Technology Co., Ltd.
No.118, Lane 169, South Laiting Road, Songjiang District, Shanghai, China.

Y3577-18-01

Pitch 0.42-0.50mm



Order for more tip-selections, only available for top plunger. If you want to custom, please contact us directly.



Mechanical& Electrical Specification

Working Stroke	0.50mm[.020in]
Full Stroke	1.00mm[.039in]
Spring Force	18g@0.50mm
Resistance	Max. 80mOhm
Current	3Amp
Bandwidth	NA
Operated Temp.	-40~125°C

Material


Top Plunger	SK4/ Au-Plated
Bottom Plunger	BeCu/ Au-Plated
Spring	Music Wire/ Au-Plated
Tube	Bronze/ Au Plated




JIANYANG
sales@jyprobe.com
+8621-3769-5886
www.jyprobe.com
Shanghai JianYang Electronics Technology Co., Ltd.
No.118, Lane 169, South Laiting Road, Songjiang District, Shanghai, China.

Y3832-30-01

Pitch 0.45-0.55mm



Order for more tip-selections, only available for top plunger. If you want to custom, please contact us directly.



Mechanical& Electrical Specification

Working Stroke	0.65mm[.026in]
Full Stroke	0.70mm[.028in]
Spring Force	30g@0.65mm
Resistance	Max. 80mOhm
Current	3Amp
Bandwidth	NA
Operated Temp.	-40~125°C

Material


Top Plunger	SK4/ Au-Plated
Bottom Plunger	BeCu/ Au-Plated
Spring	Music Wire/ Au-Plated
Tube	Bronze/ Au Plated




JIANYANG
sales@jyprobe.com
+8621-3769-5886
www.jyprobe.com
Shanghai JianYang Electronics Technology Co., Ltd.
No.118, Lane 169, South Laiting Road, Songjiang District, Shanghai, China.

Y3857-35-01

Pitch 0.45-0.55mm



Order for more tip-selections, only available for top plunger. If you want to custom, please contact us directly.



■ Mechanical& Electrical Specification

Working Stroke	0.70mm[.028in]
Full Stroke	1.10mm[.043in]
Spring Force	35g@0.70mm
Resistance	Max. 80mOhm
Current	3Amp
Bandwidth	NA
Operated Temp.	-40~125°C


■ Material

Top Plunger	SK4/ Au-Plated
Bottom Plunger	BeCu/ Au-Plated
Spring	Music Wire/ Au-Plated
Tube	Bronze/ Au Plated



JIANYANG
sales@jyprobe.com
+8621-3769-5886
www.jyprobe.com
Shanghai JianYang Electronics Technology Co., Ltd.
No.118, Lane 169, South Laiting Road, Songjiang District, Shanghai, China.

Y38115-20-01



Order for more tip-selections, only available for top plunger. If you want to custom, please contact us directly.

Reduced Crown



Y38115-20-01

Mechanical& Electrical Specification

Working Stroke	1.60mm[.063in]
Full Stroke	2.00mm[.079in]
Spring Force	20g@1.60mm
Resistance	Max. 80mOhm
Current	3Amp
Bandwidth	NA
Operated Temp.	-40~125°C


Material

Top Plunger	BeCu/ Au-Plated
Bottom Plunger	BeCu/ Au-Plated
Spring	Music Wire/ Au-Plated
Tube	Bronze/ Au Plated




JIANYANG
sales@jyprobe.com
+8621-3769-5886
www.jyprobe.com
Shanghai JianYang Electronics Technology Co., Ltd.
No.118, Lane 169, South Laiting Road, Songjiang District, Shanghai, China.

Y46104-70-01



Order for more tip-selections, only available for top plunger. If you want to custom, please contact us directly.



Mechanical& Electrical Specification

Working Stroke	1.30mm[.051in]
Full Stroke	2.00mm[.079in]
Spring Force	70g@1.30mm
Resistance	Max. 80mOhm
Current	3Amp
Bandwidth	NA
Operated Temp.	-40~125°C


Material

Top Plunger	BeCu/ Au-Plated
Bottom Plunger	BeCu/ Au-Plated
Spring	Music Wire/ Au-Plated
Tube	Bronze/ Au Plated




JIANYANG
sales@jyprobe.com
+8621-3769-5886
www.jyprobe.com
Shanghai JianYang Electronics Technology Co., Ltd.
No.118, Lane 169, South Laiting Road, Songjiang District, Shanghai, China.

Y4857-23-01



Order for more tip-selections, only available for top plunger. If you want to custom, please contact us directly.



Mechanical& Electrical Specification

Working Stroke	0.70mm[.028in]
Full Stroke	1.10mm[.043in]
Spring Force	23g@0.70mm
Resistance	Max. 80mOhm
Current	3Amp
Bandwidth	NA
Operated Temp.	-40~125°C


Material

Top Plunger	BeCu/ Au-Plated
Bottom Plunger	BeCu/ Au-Plated
Spring	Music Wire/ Au-Plated
Tube	Bronze/ Au Plated




JIANYANG
sales@jyprobe.com
+8621-3769-5886
www.jyprobe.com
Shanghai JianYang Electronics Technology Co., Ltd.
No.118, Lane 169, South Laiting Road, Songjiang District, Shanghai, China.

Y4881-40-01



Order for more tip-selections, only available for top plunger. If you want to custom, please contact us directly.



Mechanical& Electrical Specification

Working Stroke	1.00mm[.039in]
Full Stroke	1.50mm[.059in]
Spring Force	40g@1.00mm
Resistance	Max. 80mOhm
Current	3Amp
Bandwidth	NA
Operated Temp.	-40~125°C


Material

Top Plunger	BeCu/ Au-Plated
Bottom Plunger	BeCu/ Au-Plated
Spring	Music Wire/ Au-Plated
Tube	Bronze/ Au Plated




JIANYANG
sales@jyprobe.com
+8621-3769-5886
www.jyprobe.com
Shanghai JianYang Electronics Technology Co., Ltd.
No.118, Lane 169, South Laiting Road, Songjiang District, Shanghai, China.

Y5131-20-01



Order for more tip-selections, only available for top plunger. If you want to custom, please contact us directly.



Mechanical& Electrical Specification

Working Stroke	0.50mm[.020in]
Full Stroke	0.70mm[.028in]
Spring Force	20g@0.50mm
Resistance	Max. 50mOhm
Current	3Amp
Bandwidth	NA
Operated Temp.	-40~125°C

Material


Top Plunger	BeCu/ Au-Plated
Bottom Plunger	BeCu/ Au-Plated
Spring	Music Wire/ Au-Plated
Tube	Bronze/ Au Plated




JIANYANG
sales@jyprobe.com
+8621-3769-5886
www.jyprobe.com
Shanghai JianYang Electronics Technology Co., Ltd.
No.118, Lane 169, South Laiting Road, Songjiang District, Shanghai, China.

Y5157-23-01

Pitch 0.60-0.65mm



Order for more tip-selections, only available for top plunger. If you want to custom, please contact us directly.



Mechanical& Electrical Specification

Working Stroke	0.70mm[.028in]
Full Stroke	1.10mm[.043in]
Spring Force	23g@0.70mm
Resistance	Max. 70mOhm
Current	3Amp
Bandwidth	NA
Operated Temp.	-40~125°C


Material

Top Plunger	BeCu/ Au-Plated
Bottom Plunger	BeCu/ Au-Plated
Spring	Music Wire/ Au-Plated
Tube	Bronze/ Au Plated



JIANYANG
sales@jyprobe.com
+8621-3769-5886
www.jyprobe.com
Shanghai JianYang Electronics Technology Co., Ltd.
No.118, Lane 169, South Laiting Road, Songjiang District, Shanghai, China.

Y52105-15-01



Order for more tip-selections, only available for top plunger. If you want to custom, please contact us directly.

Reduced Crown



Y52105-15-01

Mechanical& Electrical Specification

Working Stroke	0.80mm[.031in]
Full Stroke	2.00mm[.079in]
Spring Force	15g@0.80mm
Resistance	Max. 100mOhm
Current	3Amp
Bandwidth	NA
Operated Temp.	-40~125°C

Material


Top Plunger	BeCu/ Au-Plated
Bottom Plunger	BeCu/ Au-Plated
Spring	Music Wire/ Au-Plated
Tube	Bronze/ Au Plated




JIANYANG
sales@jyprobe.com
+8621-3769-5886
www.jyprobe.com
Shanghai JianYang Electronics Technology Co., Ltd.
No.118, Lane 169, South Laiting Road, Songjiang District, Shanghai, China.

Y5831-34-01

Pitch 0.68-0.85mm



Order for more tip-selections, only available for top plunger. If you want to custom, please contact us directly.



Mechanical& Electrical Specification

Working Stroke	0.50mm[.020in]
Full Stroke	0.70mm[.028in]
Spring Force	34g@0.50mm
Resistance	Max. 60mOhm
Current	3Amp
Bandwidth	NA
Operated Temp.	-40~125°C

Material


Top Plunger	SK4/ Au-Plated
Bottom Plunger	BeCu/ Au-Plated
Spring	Music Wire/ Au-Plated
Tube	Bronze/ Au Plated




JIANYANG
sales@jyprobe.com
+8621-3769-5886
www.jyprobe.com
Shanghai JianYang Electronics Technology Co., Ltd.
No.118, Lane 169, South Laiting Road, Songjiang District, Shanghai, China.

Y5857-25-01

Pitch 0.68-0.85mm



Order for more tip-selections, only available for top plunger. If you want to custom, please contact us directly.



Mechanical& Electrical Specification

Working Stroke	0.70mm[.028in]
Full Stroke	1.10mm[.043in]
Spring Force	25g@0.70mm
Resistance	Max. 70mOhm
Current	3Amp
Bandwidth	NA
Operated Temp.	-40~125°C

Material


Top Plunger	SK4/ Au-Plated
Bottom Plunger	BeCu/ Au-Plated
Spring	Music Wire/ Au-Plated
Tube	Bronze/ Au Plated




JIANYANG
sales@jyprobe.com
+8621-3769-5886
www.jyprobe.com
Shanghai JianYang Electronics Technology Co., Ltd.
No.118, Lane 169, South Laiting Road, Songjiang District, Shanghai, China.

Y5863-34-01

Pitch 0.68-0.85mm



Order for more tip-selections, only available for top plunger. If you want to custom, please contact us directly.



Mechanical& Electrical Specification

Working Stroke	1.10mm[.043in]
Full Stroke	1.30mm[.051in]
Spring Force	34g@1.10mm
Resistance	Max. 60mOhm
Current	3Amp
Bandwidth	NA
Operated Temp.	-40~125°C


Material

Top Plunger	SK4/ Au-Plated
Bottom Plunger	BeCu/ Au-Plated
Spring	Music Wire/ Au-Plated
Tube	Bronze/ Au Plated




JIANYANG
sales@jyprobe.com
+8621-3769-5886
www.jyprobe.com
Shanghai JianYang Electronics Technology Co., Ltd.
No.118, Lane 169, South Laiting Road, Songjiang District, Shanghai, China.

Y611085-30-01



Order for more tip-selections, only available for top plunger. If you want to custom, please contact us directly.



Mechanical& Electrical Specification

Working Stroke	1.80mm[.071in]
Full Stroke	2.50mm[.098in]
Spring Force	30g@1.80mm
Resistance	Max. 80mOhm
Current	3Amp
Bandwidth	NA
Operated Temp.	-40~125°C

Material


Top Plunger	BeCu/ Au-Plated
Bottom Plunger	BeCu/ Au-Plated
Spring	Music Wire/ Au-Plated
Tube	Bronze/ Au Plated




JIANYANG
sales@jyprobe.com
+8621-3769-5886
www.jyprobe.com
Shanghai JianYang Electronics Technology Co., Ltd.
No.118, Lane 169, South Laiting Road, Songjiang District, Shanghai, China.

Y68160-40-01

Pitch 0.75-0.85mm



Order for more tip-selections, only available for top plunger. If you want to custom, please contact us directly.



Mechanical& Electrical Specification

Working Stroke	2.10mm[.083in]
Full Stroke	3.00mm[.118in]
Spring Force	40g@2.10mm
Resistance	Max. 80mOhm
Current	3Amp
Bandwidth	NA
Operated Temp.	-40~125°C

Material


Top Plunger	BeCu/ Au-Plated
Bottom Plunger	BeCu/ Au-Plated
Spring	Music Wire/ Au-Plated
Tube	Bronze/ Au Plated




JIANYANG
sales@jyprobe.com
+8621-3769-5886
www.jyprobe.com
Shanghai JianYang Electronics Technology Co., Ltd.
No.118, Lane 169, South Laiting Road, Songjiang District, Shanghai, China.

Y8133-29-01

Pitch 0.90-1.10mm



Order for more tip-selections, only available for top plunger. If you want to custom, please contact us directly.



Mechanical& Electrical Specification

Working Stroke	0.70mm[.028in]
Full Stroke	0.80mm[.031in]
Spring Force	29g@0.70mm
Resistance	Max. 50mOhm
Current	3Amp
Bandwidth	NA
Operated Temp.	-40~125°C

Material


Top Plunger	BeCu/ Au-Plated
Bottom Plunger	BeCu/ Au-Plated
Spring	Music Wire/ Au-Plated
Tube	Bronze/ Au Plated



JIANYANG
sales@jyprobe.com
+8621-3769-5886
www.jyprobe.com
Shanghai JianYang Electronics Technology Co., Ltd.
No.118, Lane 169, South Laiting Road, Songjiang District, Shanghai, China.

Y8358-40-01

Pitch 0.90-1.10mm



Order for more tip-selections, only available for top plunger. If you want to custom, please contact us directly.

Reduced Crown



Y8358-40-01

Mechanical& Electrical Specification

Working Stroke	0.70mm[.028in]
Full Stroke	1.10mm[.043in]
Spring Force	40g@0.70mm
Resistance	Max. 50mOhm
Current	3Amp
Bandwidth	NA
Operated Temp.	-40~125°C


Material

Top Plunger	SK4/ Au-Plated
Bottom Plunger	BeCu/ Au-Plated
Spring	Music Wire/ Au-Plated
Tube	Bronze/ Au Plated




JIANYANG
sales@jyprobe.com
+8621-3769-5886
www.jyprobe.com
Shanghai JianYang Electronics Technology Co., Ltd.
No.118, Lane 169, South Laiting Road, Songjiang District, Shanghai, China.

Y83130-38-01



Order for more tip-selections, only available for top plunger. If you want to custom, please contact us directly.



Mechanical& Electrical Specification

Working Stroke	1.15mm[.045in]
Full Stroke	2.10mm[.0826in]
Spring Force	38g@1.15mm
Resistance	Max. 80mOhm
Current	3Amp
Bandwidth	NA
Operated Temp.	-40~125°C


Material

Top Plunger	BeCu/ Au-Plated
Bottom Plunger	BeCu/ Au-Plated
Spring	Music Wire/ Au-Plated
Tube	Bronze/ Au Plated




JIANYANG
sales@jyprobe.com
+8621-3769-5886
www.jyprobe.com
Shanghai JianYang Electronics Technology Co., Ltd.
No.118, Lane 169, South Laiting Road, Songjiang District, Shanghai, China.

Y10113-20-01



Order for more tip-selections, only available for top plunger. If you want to custom, please contact us directly.



Mechanical& Electrical Specification

Working Stroke	0.80mm[.031in]
Full Stroke	1.10mm[.043in]
Spring Force	20g@0.80mm
Resistance	Max. 50mOhm
Current	3Amp
Bandwidth	NA
Operated Temp.	-40~125°C


Material

Top Plunger	BeCu/ Au-Plated
Bottom Plunger	BeCu/ Au-Plated
Spring	Music Wire/ Au-Plated
Tube	Bronze/ Au Plated




JIANYANG
sales@jyprobe.com
+8621-3769-5886
www.jyprobe.com
Shanghai JianYang Electronics Technology Co., Ltd.
No.118, Lane 169, South Laiting Road, Songjiang District, Shanghai, China.

Y13016-20-01



Order for more tip-selections, only available for top plunger. If you want to custom, please contact us directly.



Mechanical& Electrical Specification

Working Stroke	2.60mm[.102in]
Full Stroke	4.50mm[.177in]
Spring Force	20g@2.60mm
Resistance	Max. 70mOhm
Current	3Amp
Bandwidth	NA
Operated Temp.	-40~125°C


Material

Top Plunger	BeCu/ Au-Plated
Bottom Plunger	BeCu/ Au-Plated
Spring	Music Wire/ Au-Plated
Tube	Bronze/ Au Plated




JIANYANG
sales@jyprobe.com
+8621-3769-5886
www.jyprobe.com
Shanghai JianYang Electronics Technology Co., Ltd.
No.118, Lane 169, South Laiting Road, Songjiang District, Shanghai, China.

J14816-60-01



Order for more tip-selections, only available for top plunger. If you want to custom, please contact us directly.



Mechanical& Electrical Specification

Working Stroke	2.80mm[.110in]
Full Stroke	3.50mm[.138in]
Spring Force	60g@2.60mm
Resistance	Max. 70mOhm
Current	3Amp
Bandwidth	NA
Operated Temp.	-40~125°C

Material

Top Plunger	BeCu/ Au-Plated
Bottom Plunger	BeCu/ Au-Plated
Spring	Music Wire/ Au-Plated
Tube	Bronze/ Au Plated



JIANYANG
sales@jyprobe.com
+8621-3769-5886
www.jyprobe.com
Shanghai JianYang Electronics Technology Co., Ltd.
No.118, Lane 169, South Laiting Road, Songjiang District, Shanghai, China.

Contact



JIANYANG


sales@jyprobe.com

+8621-3769-5886

www.jyprobe.com

Shanghai JianYang Electronics Technology Co., Ltd.

No.118, Lane 169, South Laiting Road, Songjiang District, Shanghai, China.



JIANYANG